

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
16 June 2005 (16.06.2005)

PCT

(10) International Publication Number  
**WO 2005/053812 A1**

(51) International Patent Classification<sup>7</sup>: **B01D 11/02**,  
A61K 35/78, C08L 97/00, A01N 65/00, C07C 49/717

(21) International Application Number:  
PCT/CA2004/002087

(22) International Filing Date: 7 December 2004 (07.12.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
60/527,302 8 December 2003 (08.12.2003) US

(71) Applicant (for all designated States except US): **XYLON BIOTECHNOLOGIES LTD.** [CA/CA]; B.C. Research Innovation Complex (UBC), 3650 Wesbrook Mall, Vancouver, British Columbia V6S 2L2 (CA).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **JONES, David**


[CA/CA]; 507-9280 Salish Court, Burnaby, British Columbia V3J 7J8 (CA). **FALK, Kenneth, John** [CA/CA]; 210 Zeman Court, Saskatoon, Saskatchewan S7K 7W5 (CA).

(74) Agents: **KINGWELL, Brian, G.** et al.; Smart & Biggar Box 11560, Vancouver Centre Suite 2200, 650 West Georgia Street, Vancouver, British Columbia V6B 4N8 (CA).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

[Continued on next page]

(54) Title: PLANT MATERIALS EXTRACTION METHOD



(57) Abstract: A process for preparing plant extracts is provided. Plant materials, including tropolones, lignins and polar molecules, are mixed with a liquid polar solvent to form an extraction mixture, which is maintained under extraction conditions effective to extract lignins, polar molecules and at least 50% of the tropolones into the polar solvent to form a pregnant polar solvent liquid phase. The pregnant polar solvent phase is separated from the solid plant materials, and mixed with a substantially immiscible nonpolar solvent under conditions effective to partition the tropolones and lignins substantially into the nonpolar solvent and to partition the polar molecules substantially into the polar solvent to form a partitioned nonpolar solvent phase comprising lignins and tropolones, and a partitioned polar solvent phase comprising the polar molecules, and separating the polar solvent phase from the nonpolar solvent phase to obtain a polar plant extract and a nonpolar plant extract.



(84) **Designated States** (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

- with international search report
- with amended claims

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*